

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims**

1. (currently amended): O-glycan  $\alpha$ 2,8-sialyltransferase, which is characterized in that it has the following having substrate specificity and substrate selectivity[[.]] wherein the enzyme has substrate specificity wherein Substrate specificity: the substrates of the enzyme are glycoconjugates having a Sia $\alpha$ 2,3(6)Gal structure wherein Sia represents sialic acid and Gal represents galactose at the terminus thereof[[.]]; and wherein the enzyme has substrate selectivity wherein Substrate selectivity: the enzyme incorporates sialic acids into O-glycans more preferentially than into glycolipids or N-glycans.

2. (original): O-glycan  $\alpha$ 2,8-sialyltransferase having either one of the following amino acid sequences:

(1) an amino acid sequence shown in SEQ ID NO: 1 or 3; or

(2) an amino acid sequence comprising a deletion, substitution, and/or addition of one or several amino acids with respect to the amino acid sequence shown in SEQ ID NO: 1 or 3, and having O-glycan  $\alpha$ 2,8-sialyltransferase activity.

3. (original): O-glycan  $\alpha$ 2,8-sialyltransferase gene encoding the amino acid sequence of the O-glycan  $\alpha$ 2,8-sialyltransferase according to claim 2.

4. (original): The O-glycan  $\alpha$ 2,8-sialyltransferase gene according to claim 3 which has any one of the following nucleotide sequences:

- (1) a nucleotide sequence corresponding to a portion between nucleotide 77 and nucleotide 1270 of a nucleotide sequence shown in SEQ ID NO: 2;
- (2) a nucleotide sequence comprising a deletion, substitution, and/or addition of one or several nucleotides with respect to the nucleotide sequence corresponding to a portion between nucleotide 77 and nucleotide 1270 of the nucleotide sequence shown in SEQ ID NO: 2, and encoding a protein having O-glycan  $\alpha$ 2,8-sialyltransferase activity;
- (3) a nucleotide sequence corresponding to a portion between nucleotide 92 and nucleotide 1285 of a nucleotide sequence shown in SEQ ID NO: 4; and
- (4) a nucleotide sequence comprising a deletion, substitution, and/or addition of one or several nucleotides with respect to the nucleotide sequence corresponding to a portion between nucleotide 92 and nucleotide 1285 of the nucleotide sequence shown in SEQ ID NO: 4, and encoding a protein having O-glycan  $\alpha$ 2,8-sialyltransferase activity.

5. (currently amended): A recombinant vector comprising the O-glycan  $\alpha$ 2,8-sialyltransferase gene according to claim 3 or 4.

6. (original): The recombinant vector according to claim 5 which is an expression vector.

7. (currently amended): A transformant transformed with the recombinant vector according to claim 5-~~or 6~~.

8. (currently amended): A method for producing O-glycan α2,8-sialyltransferase ~~the enzyme according to claim 1 or 2~~ wherein the transformant of claim 7 is cultured and ~~the enzyme of claim 1 or 2~~ O-glycan α2,8-sialyltransferase is collected from the culture.

9. (original): A protein which comprises an active domain of O-glycan α2,8-sialyltransferase having any one of the following amino acid sequences:

- (1) an amino acid sequence corresponding to a portion between positions 26 and 398 of the amino acid sequence shown in SEQ ID NO: 1;
- (2) an amino acid sequence comprising a deletion, substitution, and/or addition of one or several amino acids with respect to the amino acid sequence corresponding to a portion between positions 26 and 398 of the amino acid sequence shown in SEQ ID NO: 1, and having O-glycan α2,8-sialyltransferase activity;
- (3) an amino acid sequence corresponding to a portion between positions 68 and 398 of the amino acid sequence shown in SEQ ID NO: 3; and

(4) an amino acid sequence comprising a deletion, substitution, and/or addition of one or several amino acids with respect to the amino acid sequence corresponding to a portion between positions 68 and 398 of the amino acid sequence shown in SEQ ID NO: 3, and having O-glycan  $\alpha$ 2,8-sialyltransferase activity.

10. (currently amended): An extracellular secretory protein, ~~which comprises~~ comprising a polypeptide portion which is an active domain of the O-glycan  $\alpha$ 2,8-sialyltransferase of claim 1-~~or~~-2, and a signal peptide, and has O-glycan  $\alpha$ 2,8-sialyltransferase activity.

11. (currently amended): A gene encoding the protein according to claim 9-~~or~~ 10.

12. (original): A recombinant vector comprising the gene according to claim 11.

13. (original): The recombinant vector according to claim 12 which is an expression vector.

14. (currently amended): A transformant transformed with the recombinant vector according to claim 12-~~or~~-13.

15. (currently amended): A method for producing ~~the a~~ protein according to claim 9 or 10 comprising an active domain of O-glycan  $\alpha$ 2,8-sialyltransferase wherein the transformant of claim 14 is cultured and the protein of claim 9 or 10 is collected from the culture.

16. (currently amended):  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase, which is characterized in that it has the following having activity action and substrate specificity. [[.]])

(1) Action;

wherein the activity comprises The enzyme transfer[[s]] of sialic acid through an  $\alpha$ 2,6-linkage into the galactose portion of a sugar chain having a galactose  $\beta$ 1,4N-acetylglucosamine structure at the terminus thereof[[.]]; and

(2) Substrate specificity

wherein the enzyme has substrate specificity wherein the The substrate of the enzyme is a sugar chain having a galactose  $\beta$ 1,4N-acetylglucosamine structure at the terminus thereof, and lactose and a sugar chain having a galactose  $\beta$ 1,3N-acetylglucosamine structure at the terminus thereof are not the substrate of the enzyme.

17. (original):  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase having either one of the following amino acids:

(1) an amino acid sequence shown in SEQ ID NO: 5 or 7; or  
(2) an amino acid sequence comprising a deletion, substitution, and/or addition of one or several amino acids with respect to the amino acid sequence shown in SEQ ID NO: 5 or 7, and having  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase activity.

18. (original): A  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase gene encoding the amino acid sequence of the  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase according to claim 17.

19. (original): The  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase gene according to claim 18 which has any one of the following nucleotide sequences:

- (1) a nucleotide sequence corresponding to a portion between nucleotide 176 and nucleotide 1762 of a nucleotide sequence shown in SEQ ID NO: 6;
- (2) a nucleotide sequence comprising a deletion, substitution, and/or addition of one or several nucleotides with respect to the nucleotide sequence corresponding to a portion between nucleotide 176 and nucleotide 1762 of the nucleotide sequence shown in SEQ ID NO: 6, and encoding a protein having  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase activity;
- (3) a nucleotide sequence corresponding to a portion between nucleotide 3 and nucleotide 1574 of a nucleotide sequence shown in SEQ ID NO: 8; and
- (4) a nucleotide sequence comprising a deletion, substitution, and/or addition of one or several nucleotides with respect to the nucleotide sequence corresponding to a portion

between nucleotide 3 and nucleotide 1574 of the nucleotide sequence shown in SEQ ID NO: 8, and encoding a protein having  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase activity.

20. (currently amended): A recombinant vector comprising the  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase gene according to claim 18-~~or~~19.

21. (original): The recombinant vector according to claim 20 which is an expression vector.\

22. (currently amended): A transformant transformed with the recombinant vector according to claim 20-~~or~~21.

23. (currently amended): A method for producing ~~the enzyme according to claim 16 or 17,  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase~~ wherein the transformant of claim 22 is cultured and ~~the enzyme of claim 16 or 17  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase~~ is collected from the culture.

24. (original): A protein comprising an active domain of  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase having any one of the following amino acid sequences:  
(1) an amino acid sequence corresponding to a portion between positions 33 and 529 of the amino acid sequence shown in SEQ ID NO: 5;

(2) an amino acid sequence comprising a deletion, substitution, and/or addition of one or several amino acids with respect to the amino acid sequence corresponding to a portion between positions 33 and 529 of the amino acid sequence shown in SEQ ID NO: 5, and having  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase activity;

(3) an amino acid sequence corresponding to a portion between positions 31 and 524 of the amino acid sequence shown in SEQ ID NO: 7; and

(4) an amino acid sequence comprising a deletion, substitution, and/or addition of one or several amino acids with respect to the amino acid sequence corresponding to a portion between positions 31 and 524 of the amino acid sequence shown in SEQ ID NO: 7, and having  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase activity.

25. (currently amended): An extracellular secretory protein, which comprises a polypeptide portion which is an active domain of the  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase according to claim 16 or 17, and a signal peptide, and has  $\beta$ -galactoside  $\alpha$ 2,6-sialyltransferase activity.

26. (currently amended): A gene encoding the protein according to claim 24 or 25.

27. (original): A recombinant vector comprising the gene according to claim 26.

28. (original): The recombinant vector according to claim 27 which is an expression vector.

29. (currently amended): A transformant transformed with the recombinant vector according to claim 27-~~or 28~~.

30. (currently amended) A method for producing ~~the protein according to claim 24 or 25~~ a protein comprising an active domain of β-galactoside α2,6-sialyltransferase wherein the transformant of claim 29 is cultured and the protein ~~of claim 24 or 25~~ is collected from the culture.